

## 8. REFERENCES

Abe M, Fujii K, Inoue T, et al. 1986. Boron-10 distribution in rat brain tumor and normal brain after intracarotid hyperosmolal infusion. In: Hatanaka H, ed. Neutron capture theory. Niigata, Japan: Nishimura Company, Ltd., 401-409.

\*ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

Allen BJ, Brown JK, Mountford MH, et al. 1989. In vitro and in vivo studies of boron conjugated melanoma affined biochemicals. *Strahlenther Onkol* 165:163-165.

\*APHA. 1985a. Boron, curcumin method - method 404A. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 274-276.

\*APHA. 1985b. Boron, carmine method - method 404B. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 276-277.

\*APHA. 1985c. Metals by emission spectroscopy using an inductively coupled plasma source (tentative) - method 305. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 180-182.

Armstrong D, Hiramitsu T, Gutteridge J, et al. 1982. Studies on experimentally induced retinal degeneration. 1. Effect of lipid peroxides on electroretinographic activity in the albino rabbit. *Exp Eye Res* 35:157-171.

Baker MD, Bogema SC. 1986. Ingestion of boric acid by infants. *Am J Emerg Med* 4:358-361.

Banner W Jr, Koch M, Capin DM, et al. 1986. Experimental chelation therapy in chromium, lead, and boron intoxication with N-acetylcysteine and other compounds. *Toxicol Appl Pharmacol* 83:142-147.

\*Barnes D, Bellin J, DeRosa C, et al. 1988. Reference dose (RfD): Description and use in health risk assessments. Vol. I. Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

\* Cited in text

## 8. REFERENCES

- \*Baselt RC. 1988, Borate (serum borate by calorimetry). In: Biological monitoring methods for industrial chemicals. Littleton, MA: PSG Publishing Company, Inc, 48-50.
- \*Benson WH, Birge WJ, Dorrough HW. 1984. Absence of mutagenic activity of sodium borate (borax) and boric acid in the Salmonella preincubation test. Environ Toxicol Chem 3:209-214.
- Berlin M, Lee IP, Russell LD. 1983. Effects of metals on male reproduction. In: Clarkson TW, Nordberg GF, Sager PR, eds. Reproductive and developmental toxicity of metals. New York, NY: Plenum Pres, 29-40.
- \*Bertine KK, Goldberg ED. 1971. Fossil fuel combustion and the major sedimentary cycle. Science 173:233-235.
- \*Beyer KH, Bergfeld WF, Berndt WO, et al. 1983. Final report on the safety assessment of sodium borate and boric acid. J Am Coll Toxicol 2:87-125.
- \*Biggar JW, Fireman M. 1960. Boron adsorption and release by soils. Soil Sci Soc Proc 115-120.
- \*Bingham FT, Page AL, Coleman NT, et al. 1971, Boron adsorption characteristics of selected amorphous soils from Mexico and Hawaii. Soil Sci Amer Proc 35:546-550.
- \*Butterwick L, de Oude N, Raymond K. 1989. Safety assessment of boron in aquatic and terrestrial environments. Ecotoxicol Environ Safety 17:339-371.
- Caujolle F, Chanh PH, Pene AM, et al. 1966. The comparative toxicity of boron organic compounds towards the non-anesthetized rabbit chemical structure - toxicity relationship. Med Pharmacol Exp 15:130-138.
- CFR. 1989. Code of Federal Regulations. Washington, DC: National Archives and Records Administration, Office of the Federal Register.
- \*Choi WW, Chen KY. 1979. Evaluation of boron removal by adsorption on solids. Environ Sci Technol 13:189-196.
- \*CLPSD. 1989. Contract Laboratory Program Statistical Database. Viar and Company, Management Services Division, Alexandria, VA. July 1989.
- \*Cotton FA, Wilkinson G. 1980. Advanced inorganic chemistry: A comprehensive text. New York, NY: John Wiley and Sons, 293.
- \*CRISP. 1990. Computer Retrieval of Information on Scientific Projects, U.S. Department of Health and Human Services, Public Health Service, National Institute of Health, Bethesda, MD. January 1990.
- Cvetkou D, Popov T. 1970. [On the mechanism of the borax action in rabbits with subacute oral intoxication.] Khig Zdraveopazvane 13:58-62. (Russian)

## 8. REFERENCES

- \*Demerec M, Bertani G, Flint J. 1951. A survey of chemicals for mutagenic action on E. coli. American Naturalist 85:119-136.
- \*Deverel SJ, Millard SP. 1988. Distribution and mobility of selenium and other trace elements in shallow groundwater of the western San Joaquin Valley, California. Environ Sci Technol 22:697-702.
- Dill H, Gmeiner B, Raab W. 1977. Blood boron levels in patients using buffered sodium peroxyborate monohydrate mouthwash three times daily for four weeks. Int J Clin Pharmacol 15:16-18.
- \*Dixon RL, Lee IP, Sherins RJ. 1976. Methods to assess reproductive effects of environmental chemicals: Studies of cadmium and boron administered orally. Environ Health Perspect 13:59-67.
- \*Dixon RL, Sherins RJ, Lee IP. 1979. Assessment of environmental factors affecting male fertility. Environ Health Perspect 30:53-68.
- \*Draize JH, Kelley EA. 1959. The urinary excretion of boric acid preparations following oral administration and topical applications to intact and damaged skin of rabbits. Toxicol Appl Pharmacol 1:267-276.
- \*Eckel WP, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. Proceedings of the 9th National Superfund '88 Conference, Washington, DC, 282-286.
- Edwall L, Karlen B, Rosen A. 1979. Absorption of boron after mouthwash treatment with Bocesept. Eur J Clin Pharmacol 15:417-420.
- \*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: Diagnosis and treatment of human poisoning. New York, NY: Elsevier, 921-924.
- EPA. 1976. Quality criteria for water. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA 440/9-76-023. NTIS No. PB-263943.
- \*EPA. 1982. Inductively coupled plasma-atomic emission spectrometric method for trace element analysis of water and wastes - method 200.7. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.
- \*EPA. 1983. Boron (calorimetric, curcumin) - method 212.3 In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA-600/4-79-020.
- \*EPA. 1986a. Inductively coupled plasma atomic emission spectroscopy - method 6010. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

## 8. REFERENCES

- \*EPA. 1986b. Quality criteria for water. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA 440/5-86-001.
- \*EPA. 1987a. U.S. Environmental Protection Agency: Part II. Federal Register 52:13398.
- \*EPA. 1987b. Health effects assessment for boron and compounds. Cincinnati, OH : U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/8-88/021. NTIS No. PB88-178710.
- \*EPA. 1987c. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/4-87-023a.
- EPA. 1988a. Reportable quantity document for boron trifluoride. Cincinnati, OH : U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. ECAO-CIN-R528.
- EPA. 1988b. U.S. Environmental Protection Agency. Part II. Federal Register 53:1892-1902.
- \*EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600/8-88/066F.
- \*EPA. 1989b. U.S. Environmental Protection Agency. Part II. Federal Register 54:35988-35989, 35993, 35998, 35999.
- \*Farr LE, Konikowski T. 1963. The renal clearance of sodium pentaborate in mice and men. J Am Assoc Clin Chem 9:717-726.
- \*Ferguson A, Yee M, Garneff A, et al. 1982. CEH marketing research report: Boron minerals and chemicals. In: Chemical economics handbook. Menlo Park, CA: SRI International, 717.1000A-717.1005s.
- Finkbone HN, Williams MW, Miller CD. 1975. Toxic effects of a new boron containing heterocycle: 4,4,8,8-tetraethyl-3,3a,4,8-tetrahydro 3a,4a,4-diazaboro-S-indacene. Proc Soc Exp Biol Med 150:434-440.
- \*Fisher RS, Freimuth HC. 1958. Blood boron levels in human infants. J Invest Dermatol 30:85-86.
- Forbes RM, Mitchell HH. 1957. Accumulation of dietary boron and strontium in young and adult albino rats. AMA Arch Ind Health 16:489-492.
- Forbes RM, Cooper AR, Mitchell HH. 1954. On the occurrence of beryllium, boron, cobalt, and mercury in human tissues. J Biol Chem 209:857-865.

## 8. REFERENCES

FSTIUC. 1988. Summary of state and federal drinking water standards and guidelines. Washington, DC: Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.

\*Garabrant DH, Bernstein L, Peters JM, et al. 1984. Respiratory and eye irritation from boron oxide and boric acid dusts. *J Occup Med* 26:584-586.

\*Garabrant DH, Bernstein L, Peters JM, et al. 1985. Respiratory effects of borax dust. *Br J Ind Med* 42:831-837.

Giardini O, Cardi E. 1970. [Poisoning by boric acid in childhood. Cases observed at the Clinica Pediatrica di Roma in the years 1958-1968.] *Minerva Pediatrica* 22:1723-1726. (Italian)

\*Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1990. Goldfrank's toxicologic emergencies. 4th ed. Norwalk, CT: Appleton & Lange, 664-665.

\*Gordon AS, Prichard JS, Freedman MH. 1973. Seizure disorders and anemia associated with chronic borax intoxication. *Can Med Ass J* 108:719-721, 724.

Gosselin RE, Smith RP, Hodge HC, et al. 1984. Clinical toxicology of commercial products. 5th ed. Baltimore, MD: Williams and Wilkins, 11-118-11-119.

\*Graedel TE. 1978. Inorganic elements, hydrides, oxides and carbonates. In: Chemical compounds in the atmosphere. New York, NY: Academic Press, 35-49.

\*Grayson M, ed. 1985. Kirk-Othmer concise encyclopedia of chemical technology. Abridged version. 3rd ed. New York, NY: John Wiley and Sons, Inc., 177.

\*Green DR, Le Pape D. 1987. Stability of hydrocarbon samples on solid-phase extraction columns. *Anal Chem* 59:699-703.

Grella P, Tambuscio B, Suma V. 1976. [Awelenamento da acido boric0 in gravidanze.] *Acta Anaesth* 27:745-748. (Italian)

\*Griffin RA, Burau RG. 1974. Kinetic and equilibrium studies of boron desorption from soil. *Soil Sci Sot Am Proc* 38:892-897.

\*Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen [Supp 1]:*3-142.

\*Heindel JJ, Price CJ, Field CA, et al. 1991. Developmental toxicity of boric acid in mice and rats. *Fund Appl Toxicol*. In press.

\*Hill WH, Smith RC. 1959. Analysis of blood for boron. *Am Ind Hyg Assoc J* 20:131-133.

## 8. REFERENCES

- \*Hill WH, Merrill JM, Palm BJ. 1957. Electrochromatography of boron. *AMA Arch Ind Health* 15:152-159.
- Holak W. 1971a. Atomic absorption determination of boron in foods. *J Assoc Off Anal Chem* 54:1138-1139.
- Holak W. 1971b. Collaborative study of the determination of boric acid in foods by atomic absorption spectrophotometry. *J Assoc Off Anal Chem* 55:890-891.
- \*Hollis .JF, Keren R, Gal M. 1988. Boron release and sorption by fly ash as affected by pH and particle size. *J Environ Qual* 17:181-184.
- \*HSDB. 1989. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. September 5, 1989.
- \*Imbus HR, Cholak J, Miller IH, et al. 1963. Boron, cadmium, chromium, and nickel in blood and urine. *Arch Environ Health* 6:286-295.
- \*IRIS. 1989. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC. November 16, 1989,
- IRPTC. 1988. International Register of Potentially Toxic Chemicals: Computerized listing of chemicals being tested for toxic effects. United Nations Environment Programme, Geneva, Switzerland. June 1988.
- IRPTC. 1989. International Register of Potentially Toxic Chemicals. United Nations Environment Programme, Geneva, Switzerland. September 1989.
- Iyer VN, Szybalski W. 1958. Two simple methods for the detection of chemical mutagens. *Appl Microbiol* 6:23-29.
- \*Jansen JA, Schou JS, Aggerback B. 1984a. Gastro-intestinal absorption and in vitro release of boric acid from water-emulsifying ointments. *Food Chem Toxicol* 22:49-53.
- Jansen JA, Anderson J, Schou JS. 1984b. Boric acid single dose pharmacokinetics after intravenous administration to man. *Arch Toxicol* 55:64-67.
- Jenkins DW. 1979. Toxic trace metals in mammalian hair and nails. Report to U.S. Environmental Protection Agency, Office of Research and Development, Las Vegas, NV, by National Institute of Scientific Research, Rancho Santa Fe, CA. EPA-600/4-79-049. NTIS No. PBEO-103997.
- Katari V, Isaacs G, Devitt TW. 1974. Trace pollutant emissions from the processing of non-metallic ores. Report to U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC, by PEDCo-Environmental Specialists, Inc., Cincinnati, OH. EPA-650/2-74-122. NTIS No. PB-240 117.

## 8. REFERENCES

- Kent NL, McCance RA. 1941. The absorption and excretion of 'minor' elements by man. I. Silver, gold, lithium, boron and vanadium. *Biochem J* 35:837-844.
- Keren R, Bingham FT. 1985. Boron in water, soils, and plants. In: *Advances in soil science*. Volume 1. New York, NY: Springer-Verlag, Inc., 229-276.
- \*Keren R, Mezuman U. 1981. Boron adsorption by clay minerals using a phenomenological equation. *Clays and Clay Minerals* 29:199-204.
- \*Keren R, Gast RG, Bar-Yosef B. 1981. pH-dependent boron adsorption by Na-montmorillonite. *Soil Sci Soc Am J* 45:45-48.
- Klaassen CD, Amdur MO, Doull J, eds. 1986. *Casarett and Doull's toxicology: The basic science of poisons*. 3rd ed. New York, NY: Macmillan Publishing Company, 348, 350, 407, 453.
- Krasovskii GN, Varshavskaya SP, Borisov AI. 1976. Toxic and gonadotropic effects of cadmium and boron relative to standards for these substances in drinking water. *Environ Health Perspect* 13:69-75.
- Landauer W, Clark EM. 1964. On the role of riboflavin in the teratogenic activity of boric acid. *J Exp Med* 200:307-312.
- Landolph JR. 1985. Cytotoxicity and negligible genotoxicity of borax and borax ores to cultured mammalian cells. *Am J Ind Med* 7:31-43.
- \*Lang FJ, Bingham FT, Hendrix FF, et al. 1986. Boron deposition on soil and native vegetation from geothermal emissions. *J Environ Qual* 15:260-265.
- \*Lee IP, Sherins RJ, Dixon RL. 1978. Evidence for induction of germinal aplasia in male rats by environmental exposure to boron. *Toxicol Appl Pharmacol* 45:577-590.
- Levinskas GJ. 1955. Comparative toxicity of boranes. *Industrial Hygiene Quarterly* 16:280-282.
- \*Linden CH, Hall AH, Kulig KW, et al. 1986. Acute ingestions of boric acid. *Clin Toxicol* 24:269-279.
- \*Litovitz TL, Klein-Schwartz W, Oderda GM, et al. 1988. Clinical manifestations of toxicity in a series of 784 boric acid ingestions. *Am J Emerg Med* 6:209-213.
- \*Locatelli C, Minoia C, Tonini M, et al. 1987. Human toxicology of boron with special reference to boric acid poisoning. *G Ital Med Lav* 9:141-146.
- Locksley HB, Sweet WH. 1954. Tissue distribution of boron compounds in relation to neutron-capture therapy of cancer. *Proc Soc Exp Biol Med* 86:56-63.

## 8. REFERENCES

- \*Malins DC, McCain BB, Brown DW, et al. 1984. Chemical pollutants in sediments and diseases of bottom-dwelling fish in Puget Sound, Washington. *Environ Sci Technol* 18:705-713.
- Martin GI. 1971. Asymptomatic boric acid intoxication: Value of peritoneal dialysis. *NY State J Med* 71:1842-1844.
- \*McCabe LJ, Symons JM, Lee RD, et al. 1970. Survey of community water supply systems. *J Am Water Work Assoc* 62:670-687.
- \*Mezuman U, Keren R. 1981. Boron adsorption by soils using a phenomenological equation. *Soil Sci Soc Am J* 45:722-726.
- Minoia C, Gregotti C, DiNucci A, et al. 1987. Toxicology and health impact of environmental exposure to boron. A review. *G Ital Med Lav* 9:119-124.
- \*Morrison RT, Boyd RN. 1983. *Organic Chemistry* 4th ed. Newton, MA: Allyn and Bacon Inc., 15, 469.
- Mulinos MG, Connant C, Hauser E. 1953. The toxicity of boric acid and the clinical implications of the use of borated baby powders. *Bull NY Med Coll* 16:92-101.
- \*Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. *Arch Environ Contam Toxicol* 13:75-83.
- \*NAS/NRC. 1989. *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- \*NATICH. 1989. *National Air Toxics Information Clearinghouse: NATICH data base report on state, local and EPA air toxics activities. July, 1989. Report to U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC, by Radian Corporation, Austin, TX. EPA-450/3-89-29.*
- Nielsen FH, Shuler TR, Zimmerman TJ, et al. 1988. Dietary magnesium, manganese and boron affect the response of rats to high dietary aluminum. *Magnesium* 7:133-147.
- \*NIEHS. 1990. *National Institute of Environmental Health Sciences. Final report on the reproductive toxicity of boric acid in CD-1-Swiss mice. NTP Report No. 90-105 (April 13).*
- NIOSH. 1977. *A recommended standard for occupational exposure to boron trifluoride*. Washington, DC: National Institute for Occupational Safety and Health.

## 8. REFERENCES

- \*NIOSH. 1984. Elements (ICP) - method 7300. In: NIOSH manual of analytical methods. 3rd ed. Vol. 1. Cincinnati, OH: National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 84-100.
- \*NIOSH. 1985a. Boron carbide - method 7506. In: NIOSH manual of analytical methods. 3rd ed. Vol. Cincinnati, OH: National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 84-100.
- \*NIOSH. 1985b. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 85-114.
- \*NIRS. 1987. National Inorganics and Radionuclides Survey. Distribution tables. U.S. Environmental Protection Agency, Office of Drinking Water, Cincinnati, OH.
- NLM. 1989. Chemline. National Library of Medicine, Bethesda, MD. September 5, 1989.
- \*NOES. 1989. National Occupational Exposure Survey. National Institute of Occupational Safety and Health, Cincinnati, OH, October 18, 1989.
- \*NOHS. 1989. National Occupational Hazard Survey. National Institute of Occupational Safety and Health, Cincinnati, OH. October 18, 1989.
- \*Nolte J. 1988. Pollution source analysis of river water and sewage sludge. Environ Technol Lett 9:857-868.
- \*Nriagu JO. 1979. Copper in the atmosphere and precipitation. In: Nriagu JO, ed. Copper in the environment. Part I: Ecological cycling. New York, N Y : John Wiley and Sons, Inc.
- \*NTP. 1987. National Toxicology Program--technical-report series no. TR324 . on the toxicology and carcinogenesis studies of boric acid (CAS No. 10043-35-3) in B6C,F, mice (feed studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH Publication No. 88-2580.
- Okawa MT, Wisseman C. 1978. Health hazard evaluation determination report 77-59-496, Kerr-McGee Chemical Corporation, Trona, California. Cincinnati, O H : U.S. Department of Health, Education and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health. NTIS No. PB89-145551.
- \*OSHA. 1989. Occupational Safety and Health Administration: Part III. Federal Register 54:2926.
- \*O'Sullivan K, Taylor M. 1983. Chronic boric acid poisoning in infants. Arch Dis Child 58:737-739.

## 8. REFERENCES

- \*Parks WL, White JL. 1952. Boron retention by clay and humus systems saturated with various cations. *Soil Sci Soc Proc* 298-300.
- Pfeiffer CC, Hallman LF, Gersh I. 1945. Boric acid ointment: A study of possible intoxication in the treatment of burns. *J Am Med Assoc* 128:266-274.
- Pinto J, Huang YP, McConnell RJ, et al. 1978. Increased urinary riboflavin excretion resulting from boric acid ingestion. *J Lab Clin Med* 92:126-134.
- Proctor NH, Hughes JP, Fischman ML. 1988. *Chemical hazards of the workplace*. 2nd ed. Philadelphia, PA: J.B. Lippincott Company, 100.
- \*Rai D, Zachara JM, Schwab AP, et al. 1986. Chemical attenuation rates, coefficients, and constants in leachate migration. Vol. 1. A critical review. Report to Electric Power Research Institute, Palo Alto, CA by Battelle, Pacific Northwest Laboratories, Richland, WA. Research Project 2198-1.
- \*Rope SK, Arthur WJ, Craig TH, et al. 1988. Nutrient and trace elements in soil and desert vegetation of southern Idaho. *Environmental Monitoring and Assessment* 10:1-24.
- Roudabush RL, TerHaar CJ, Fassett DW, et al. 1965. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. *Toxicol Appl Pharmacol* 7:559-565.
- Rusch GM, Hoffman GM, McConnell RF, et al. 1986. Inhalation toxicity studies with boron trifluoride. *Toxicol Appl Pharmacol* 83:69-78.
- \*Ruth JH. 1986. Odor threshold and irritation levels of several chemical substances: A review. *Am Ind Hyg Assoc J* 47:142-151.
- \*Sakata M. 1987. Relationship between adsorption of arsenic (III) and boron by soil and soil properties. *Environ Sci Technol* 21:1126-1130.
- Sax NI. 1984. *Dangerous properties of hazardous materials*. 6th ed. New York, NY: Van Nostrand Reinhold Company, 512-514.
- \*Sax NI, Lewis RJ Sr. 1987. *Hawley's condensed chemical dictionary*. 11th ed. New York, NY: Van Nostrand Reinhold Company, 163-165.
- \*Schillinger BM, Berstein M, Goldberg LA, et al. 1982. Boric acid poisoning. *J Am Acad Dermatol* 7:667-673.
- Schou JS, Jansen JA, Aggerbeck B. 1984. Human pharmacokinetics and safety of boric acid. *Arch Toxicol Suppl* 7:232-235.
- Schowing J, Cuevas P. 1975. Teratogenic effects of boric acid upon the chick: Macroscopic results. *Teratology* 12:334.

## 8. REFERENCES

- Schroeder HA, Mitchener M. 1975. Life-term effects of mercury, methyl mercury, and nine other trace metals on mice. *J Nutr* 105:452-458.
- \*Seal BS, Weeth HJ. 1980. Effect of boron in drinking water on the male laboratory rat. *Bull Environ Contam Toxicol* 25:782-789.
- \*Settimi L, Elovaara E, Savolainen H. 1982. Effects of extended peroral borate ingestion on rat liver and brain. *Toxicol Lett* 10:219-223.
- Siegel E, Wason S. 1986. Boric acid toxicity. *Pediatr Clin North Am* 33:363-367.
- Silaev AA, Kasparov AA, Korolev VV. 1977. [Ultrastructure of the spermatogenic epithelium in boric acid poisoning.] *Gig Tr Prof Zabol Feb.(2):34-47.* (Russian)
- \*Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. 2nd ed. Park Ridge, NJ: Noyes Publications, 137-142.
- \*Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range-finding toxicity data: List VII. *Am Ind Hyg Assoc J* 30:470-476.
- Sopova M, Petrovska D, Musalevski A, et al. 1981. Cytogenetical and morphological effect of general toxicity caused with different concentrations of boron. *Mutat Res* 85:229.
- SRI. 1986 \* Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 507-509.
- SRI. 1987. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 492-493.
- SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 488-489.
- \*SRI. 1989. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 489.
- \*Stanley JS. 1986. Broad scan analysis of the FY82 national human adipose tissue survey specimens: Vol. I. Executive summary. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC, by Midwest Research Institute, Kansas City, MO. EPA-560/5-86-035.
- \*Stewart NJ, McHugh TP. 1990. B. Borates. In: Haddad IM, Winchester JF. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1447-1451.
- \*Stokinger HE. 1981. Boron. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology. Vol. 2B. Toxicology. 3rd ed. New York, NY: John Wiley and Sons, 2978-3005.

## 8. REFERENCES

- Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 220-222.
- \*Tarasenko NY, Kaspurov AA, Strongina OM. 1972. [Effect of boric acid on the generative function in males.] Gigirna Truda i Professionalnyne Zabolevaniya No. 11:13-16. (Russian).
- Temple PJ, Linzon SN. 1976. Boron as a phytotoxic air pollutant. J Air Pollut Control Assoc 26:498-499.
- \*Thompson SE, Burton CA, Quinn DJ, et al. 1972, Concentration factors of chemical elements in edible aquatic organisms. Report to U.S. Atomic Energy Commission by Lawrence Livermore Laboratory, University of California, Livermore, CA. UCRL-50564.
- TRI. 1989. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- \*Tsui PT, McCart PJ. 1981. Chlorinated hydrocarbon residues and heavy metals in several fish species from the Cold Lake area in Alberta, Canada. Intern J Environ Anal Chem 10:277-285.
- U.S. Borax and Chemical Corporation. 1991. Comments on the draft toxicological profile for boron. Submitted to ATSDR February 14, 1991.
- U.S. Bureau of Mines. 1983. Mineral commodity summaries. Washington, DC.
- \*U.S. Bureau of Mines. 1988. Mineral commodity summaries. Washington, DC.
- \*U.S. Bureau of Mines. 1989. Mineral commodity summaries. Washington, DC.
- Valerino DM, Soliman MR, Aurori KC, et al. 1974. Studies on the interaction of several boron hydrides with liver microsomal enzymes. Toxicol Appl Pharmacol 29:358-366.
- \*Van Ormer DG. 1975. Atomic absorption analysis of some trace elements of toxicological interest. J Forensic Sci 20:595-623.
- Vanin AF, Kasparov AA, Matkhanov EI. 1970. [Change in the condition of the respiratory chain of microsomes during poisoning by boron and its compounds.] Biofizika 15:547-548. (Russian)
- \*View Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. September 25, 1989.
- \*Vignec AJ, Ellis R. 1954. Inabsorbability of boric acid in infant powder. Am J Dis Child 88:72-80.

## 8. REFERENCES

- \*Waggott A. 1969. An investigation of the potential problem of increasing boron concentrations in rivers and water courses. *Water Res* 3:749-765.
- \*Weast RC, ed. 1985. *CRC handbook of chemistry and physics*. Boca Raton, FL: CRC Press, Inc., B-79, B-10.
- \*Wegman DH, Eisen EA, Smith RG. 1991. Acute and chronic respiratory effects of sodium borate particulate exposures. Final Report. January 3.
- \*Weir RJ Jr, Fisher RS. 1972. Toxicologic studies on borax and boric acid. *Toxicol Appl Pharmacol* 23:351-364.
- WHO. 1984. Guidelines for drinking water quality. Vol. 1. Recommendations. World Health Organization, Geneva, Switzerland; 52.
- \*Wilding JL, Smith WJ, Yevich P, et al, 1959. The toxicity of boron oxide. *Am Ind Hyg Assoc J* 20:284-289.
- \*Windholz M, ed. 1983. *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 10th ed. Rahway, NJ: Merck and Company, Inc. 186-187.
- Wolny M. 1977. Effect of borate on the catalytic activities of muscle glyceraldehyde-3-phosphate dehydrogenase. *Eur J Biochem* 80:551-556.
- Wong JM. 1984. Boron control in power plant reclaimed water for potable reuse. *Environ Prog* 3:5-11.
- \*Wong LC, Heimbach MD, Truscott DR, et al. 1964. Boric acid poisoning: Report of 11 cases. *Can Med Assoc J* 90:1018-1023.
- Young EG, Smith RP, Macintosh OC. 1949. Boric acid as a poison: Report of six accidental deaths in infants. *Can Med Assoc J* 61:447-450.

