

8. REFERENCES

*ACGIH. 1989. Threshold limit values and biological exposure indices for 1989-1990. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

Albrecht WN. 1987. Toxicology and hazard assessment of 1,3-dichloropropene (11). Arch Environ Health 42:292-296.

*Albrecht W. 1987. Occupational exposure to 1,3-dichloropropene (Telone II') in Hawaiian pineapple culture. Arch Environ Health 42:236-291.

*Albrecht WN, Chenchin K. 1985. Dissipation of 1,2-Dibromo-3-chloropropane (DBCP), cis-1,3-dichloroprop (1,3-DCP), and dichloropropenes from soil to atmosphere. Bull Environ Contam Toxicol 34:824-831.

*Albrecht WN, Hagadone MR, Chenchin K. 1986. Charcoal air sampling tube storage stability and desorption efficiencies of 1,3-dibromo-3-chloropropane and 1,3-dichloropropene. Bull Environ Contam Toxicol 36:629-634.

*Atkinson R, Darnall KR, Lloyd AC, et al. 1979. Kinetics and mechanisms of the reactions of the hydroxyl radical with organic compounds in the gas phase. Adv Photochem 11:375-488.

*Barnes D, Bellen J, DeRosa C, et al. 1988. Reference dose (RfD): Description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

*Bean RM, Thomas BL, Neitzel DA. 1985. Analysis of sediment matter for halogenated products from chlorination of power plant cooling water. In: Proceedings of the 5th Water Chlorination Conference, 1357-1370.

*Belser NO, Castro CE. 1971. Biodehalogenation: Metabolism of the nematocides cis- and trans-3-chloroallyl alcohol by a bacterium isolated from soil. J Agric Food Chem 19:23-26.

*Breslin W, Kirk H, Streeter C, et al. 1989. 1,3-Dichloropropene: Twogeneration inhalation reproduction study in Fischer 344 rats. Fundam Appl Toxicol 12:129-143. .

*Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. Washington, DC: The C.V. Mosby Company, 53, 155-156.

* Cited in text

8. REFERENCES

- *Carreon R, Wall J. 1983. Telone II®: Skin sensitization potential in the guinea pig. Dow Chemical Company, Midland, Michigan.
- *Castro CE, Belser NO. 1966. Hydrolysis of cis- and trans-1,3-dichloropropene in wet soil. J Agric Food Chem 14:69-70.
- *Castro CE, Belser NO. 1968. Biodehalogenation. Reductive dehalogenation of the biocides ethylene dibromide, 1,2-dibromo-3-chloropropane, and 2,3-dibromobutane in soil. Environ Sci Technol 2:779-783.
- *Chemline. 1989. National Library of Medicine Chemline Database. July 8, 1989.
- *Climie I, Hutson D, Morrison B, et al. 1979. Glutathione conjugation in the detoxication of (Z)-1,3-dichloropropene (a component of the nematocide DD') in the rat. Xenobiotica 9:149-156.
- *CLOGP-PCGEMS. 1987. PCGEMS Graphical Exposure Modeling System. U.S. Environmental Protection Agency, Washington, DC.
- *Coate W. 1979a. Addendum to final report on the go-day inhalation toxicity study in rats and mice - Telone II". Hazleton Laboratories: Vienna, Virginia, for Dow Chemical Company, Midland, Michigan.
- *Coate W. 1979b. Subacute inhalation toxicity study in rats and mice of Telone II® (1,3-dichloropropene). Hazleton Laboratories: Vienna, Virginia, for Dow Chemical Company, Midland, Michigan.
- *Cohan DB, Gilmore D, Fisher C, et al. 1983. 1,3-Dichloropropene (1,2-D)-1,3-dichloropropene (1,3-D). California State Water Resources Control Board.
- *Cohen DB. 1986. Groundwater contamination by toxic substances. A California assessment. In: American Chemical Society Symposium Series 315, 499-529.
- *Cracknell S, Jackson G, Hardy C. 1987. Telone II® (1,3-dichloropropene) - Acute inhalation study in rats - 0-hour exposure. Huntingdon Research Centre: Cambridgeshire, England, for Dow Chemical Europe, Horgen, Switzerland.
- *Greedy C, Brooks T, Dean B, et al. 1984. The protective action of glutathione on the microbial mutagenicity of the Z- and E-isomers of 1,3-dichloropropene. Chem Biol Interact 50:39-48.
- *Daft JL. 1989. Determination of fumigants and related chemicals in fatty and non-fatty foods. J Agric Food Chem 37:560-564.

8. REFERENCES

- *De Lorenzo F, Degl'innocenti S, Ruocco A, et al. 1977. Pesticides containing 1,3-dichloropropene. *Mutagenicity of Cancer Res* 37:1915-1917.
- *Dietz F, Dittenber D, Kastl P. 1982. 1,3-Dichloropropene: Effects on tissue non-protein sulfhydryl content and blood concentration time profileprobe study. Toxicology Research Laboratory, Health and Environmental Sciences, Dow Chemical Company, Midland, MI.
- *Dietz F, Hermann E, Kastl P, et al. 1985. 1,3-Dichloropropene: Pharmacokinetics, effect on tissue non-protein sulfhydryls, and macromolecular binding in Fischer-344 rats and B6C3F1 mice following oral administration. Mammalian and Environmental Toxicology Research Laboratory, Health and Environmental Sciences, Dow Chemical Company, Midland, MI.
- *Dilling WL. 1977. Interphase transfer processes. II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions. Comparisons with theoretical predictions. *Environ Sci Technol* 11:405-409.
- *Dowty BJ, Carlisle DR, Laseter JL. 1975a. New Orleans drinking water sources tested by gas chromatography-mass spectrometry. Occurrence and origin of aromatics and halogenated aliphatic hydrocarbons. *Environ Sci Technol* 9:762-765.
- *Dowty B, Carlisle D, Laseter J, et al. 1975b. Halogenated hydrocarbons in New Orleans drinking water and blood plasma. *Science* 187:75-77.
- *Eder E, Henschler D, Neudecker T. 1982a. Mutagenic properties of allylic and α,β -unsaturated compounds: Consideration of alkylating mechanisms. *Xenobiotica* 12:831-848.
- *Eder E, Neudecker T, Lutz D, et al. 1982b. Correlation of alkylating and mutagenic activities of allyl and allylic compounds: Standard alkylation test vs. kinetic investigation. *Chem Biol Interact* 38:303-315.
- *Eder E, Dornbusch K, Fischer G. 1987. The role of biotransformation in the genotoxicity of allylic compounds. *Arch Toxicol* 60:182-186.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- *EPA. 1980. Water quality criteria documents; availability. *Federal Register* 45:79333.
- *EPA. 1981. Treatability manual. Washington, DC: Office of Research and Development, U.S. Environmental Protection Agency, 1.12.14-1 to 1.12.14-5

8. REFERENCES

- *EPA. 1982. Test methods. Methods for organic chemical analysis of municipal and industrial wastewater: Test method purgeable halocarbons-method 601. Environmental Monitoring and Support Laboratory, Cincinnati, OH. EPA 600/42-82-057
- EPA. 1983. Reportable quantity document for 1,3-dichloropropene. Prepared for Office of Solid Waste and Emergency Response by Environmental Criteria and Assessment Office, Cincinnati OH.
- EPA. 1985. Health and environmental effects profile for 1,3-dichloropropene. Prepared for Office of Solid Waste and Emergency Response by Environmental Criteria and Assessment Office, Cincinnati, OH.
- *EPA. 1986a. Test methods for evaluating solid wastes. Volume IB: Laboratory manual, physical/chemical methods: Method 8010 halogenated volatile organics. 3rd ed. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC. 8010-1 to 8010-13.
- *EPA. 1986b. Superfund programs; reportable quantity adjustments; final rule. Federal Register 51:34542.
- *EPA. 1987a. List (phase 1) of hazardous constituents for ground-water monitoring; final rule. Federal Register 52:25949.
- *EPA. 1987b. Toxic chemical release reporting; community right-to-know; proposed rule. Federal Register 52:21170.
- *EPA. 1988. Contract laboratory program statement of work for organic analysis, multi-media, multi-concentration. Methods for determining volatile organics. U.S. Environmental Protection Agency, Washington, DC.
- *EPA. 1989. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88-066F.
- EPA. 1989. Health and environmental effects document for 1,3-dichloropropene. Prepared for Office of Solid Waste and Emergency Response by Environmental Criteria and Assessment Office, Cincinnati, OH.
- *Federal Research in Progress. 1988. Federal Research in Progress Database. December 13, 1988.
- .
- *Fisher G, Kilgore W. 1988a. Tissue levels of glutathione following acute inhalation of 1,3-dichloropropene. J Toxicol Environ Health 23:171-182.
- *Fisher G, Kilgore W. 1988b. Mercapturic acid excretion by rats following inhalation exposure to 1,3-dichloropropene. Fundam Appl Toxicol 11:300-307.

8. REFERENCES

- *Fisher G, Kilgore W. 1989. Pharmacokinetics of S-[3-chloroprop-2-enyl] glutathione in rats following acute inhalation exposure to 1,3-dichloropropene. *Xenobiotica* 19:269-278.
- *Flessel P, Goldsmith J, Kahn E, et al. 1978. Acute and possible long-term effects of 1,3-dichloropropene--California. *Morbidity and Mortal Weekly Report* 27:5-55.
- *FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Prepared by Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee (FSTRAC).
- *Hanley T Jr., John-Greene J, Young J, et al. 1987. Evaluation of the effects of inhalation exposure to 1,3-dichloropropene on fetal development in rats and rabbits. *Fundam Appl Toxicol* 8:562-570.
- *Hauser TR, Bromberg SM. 1982. EPA's monitoring program at Love Canal 1980. *Environ Monit Assess* 2:249-272.
- *Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen Suppl* 1:3-142.
- *HSDB. 1990. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. January 8, 1990.
- *Hutson D, Moss J, Pickering B. 1971. of the soil fumigant DD®
Excretion and retention of components and their metabolites in the rat. *Food Cosmet Toxicol* 9:677.
- *IARC. 1986. IARC monographs of the evaluation of the carcinogenic risk of chemicals to humans. Vol. 41: 1,3-Dichloropropene. World Health Organization, Lyon, France.
- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Volumes 1-42, Supplement 7. Lyon, France.
- *IRIS. 1991. Integrated Risk Information System. Online. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.
- *Jeffrey M. 1987a. Telone II® soil fumigant: Dermal sensitization potential in the Hartley albino guinea pig. Dow Chemical Company, Midland, Michigan.
- *Jeffrey M. 1987b. Telone II® soil fumigant: Primary eye irritation study in New Zealand white rabbits. Dow Chemical Company, Midland, Michigan.
- *Jeffrey M. 1987c. Telone II® soil fumigant: Primary dermal irritation study in New Zealand white rabbits. Dow Chemical Company, Midland, Michigan.

8. REFERENCES

- *Jeffrey M, Schuetz D, Lomax L. 1987. Telone II® soil fumigant: Acute dermal toxicity study in New Zealand white rabbits. Dow Chemical Company, Midland, Michigan.
- *Jones JR. 1988a. 1,3-Dichloropropene cis-isomer: Acute oral toxicity test in the rat. Project Number 44/246. Performed by Safepharm Laboratories Limited, Derby, U.K., for Dow Chemical Company Limited, Oxfordshire, U.K. [Unpublished study to be peer reviewed].
- *Jones JR. 1988b. 1,3-Dichloropropene cis-isomer: Acute dermal toxicity test in the rat. Project Number 44/247. Performed by Safepharm Laboratories Limited, Derby, U.K., for Dow Chemical Company Limited, Oxfordshire, U.K. [Unpublished study to be peer review].
- *Jones JR. 1988c. 1,3-Dichloropropene cis-isomer: Modified nine-induction Buehler contact sensitization study in the guinea pig. Project Number 44/249. Performed by Safepharm Laboratories Limited, Derby, U.K., for Dow Chemical Company Limited, Oxfordshire, U.K. [Unpublished study to be peer review].
- *Jones J, Collier T. 1986a. Telone II®: OECD 401 acute oral toxicity test in the rat. Safepharm Laboratories Limited: Derby, U.K., for Dow Chemical Europe, Horgen, Switzerland.
- *Jones J, Collier T. 1986b. Telone II®: OECD 401 acute dermal toxicity test in the rat. Safepharm Laboratories Limited: Derby, U.K., for Dow Chemical Europe, Horgen, Switzerland.
- *Kastl PE, Hermann EA. 1983. Determination of cis- and trans-1,3-dichloropropene in whole rat blood by gas chromatography and gas chromatography - chemical ionization mass spectrometry with selected-ion monitoring. J Chromatogr 265:277-283.
- *Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. Ecotoxicol Environ Safety 4:26-38.
- *Kloes P, Calhoun L, Young J, et al. 1983. Telone II®: Inhalation teratology probe study in Fischer 344 rats and New Zealand white rabbits. Dow Chemical Company, Midland, Michigan.
- *Krijgsheld KR, Van der Gen A. 1986. Assessment of the impact of the emission of certain organochlorine compounds on the aquatic environment. Part II: Allylchloride, 1,3- and 2,3-dichloropropene. Chemosphere 15:861-880.
- *Lao RC, Thomas RS, Bastien P, et al. 1982. Analysis of organic priority and non-priority pollutants in environmental samples by GC/MS/computer systems. In: Albaiges J, Ed. Analytical techniques in environmental chemistry II. New York, NY: Pergamon Press Ltd, 107-118.

8. REFERENCES

- *Leiber MA, Berk HC. 1984. Development and validation of an air-monitoring method for 1,3-dichloropropene, trans-1,2,3-trichloropropene, cis-1,2,3-trichloropropene, 1,1,2,3-tetrachloropropene, 2,3,3-trichloroprop-2-en-1-01 and 1,1,2,2,3-pentachloropropane. Anal Chem 56:2134-2137.
- *Leistra M. 1970. Distribution of 1,3-dichloropropene over the phases in soil. J. Agric Food Chem 18:1124
- *Lichy C, Olson K. 1975. Acute toxicological properties of experimental nematicide formulation M-3993 containing 1,3-dichloropropene. Dow Chemical Company, Midland, Michigan.
- *Linnett S, Clark D, Blair D, et al. 1988. Effects of subchronic inhalation of DD' (1,3-dichloropropene/1,2-dichloropropane) on reproduction in male and female rats. Fundam Appl Toxicol 10:214-223.
- *Lomax L, Stott W, Johnson K, et al. 1989. The chronic toxicity and oncogenicity of inhaled technical grade 1,3-dichloropropene in rats and mice. Fundam Appl Toxicol 12-418-431.
- *Loveday, KS, Lugo MH, Resnick MA, et al. 1989. Chromosome aberrations and sister chromatid exchange tests in Chinese hamster ovary cells in vitro. III. Results with 20 chemicals. Environ Mol Mutagen 13:60-94.
- *Lyman WJ. 1982. Adsorption coefficient for soils and sediments. In: Lyman WJ, Reehl WF, Rosenblatt EH, Ed. Handbook of chemical property estimation methods. (Chapter 4). New York, NY: McGraw Hill Book Co.
- *Mabey WR, Smith JH, Pod011 RT, et al. 1981. Aquatic fate process data for organic priority pollutants. U.S. Environmental Protection Agency, Washington, DC. EPA 440/4-81-014.
- *Maddy KT, Busick B, Richmond D. 1980. applications of Telonee Studies concerning the field and DD® in California in 1979 and the ambient air concentrations of these pesticides during the following application by shank injection into soil in fields. HS-686. Sacramento, CA: California Department of Food and Agriculture, Division of Pest Management, Environmental Protection and Worker Safety. (cited in Albrecht 1987).
- *Maddy KT, Schnieder F, Frederickson S. 1982a. Monitoring of Telone II® during and following experimental application by shank injection to established trees and grape vines in California in 1980 and 1981. HS-967. Sacramento, CA: California Department of Food and Agriculture, Division of Pest Management, Environmental Protection and Worker Safety. (cited in Albrecht 1987).

8. REFERENCES

- *Maddy KT, Fong HR, Howe JA. 1982b. A study of well water in selected California communities for residues of 1,3-dichloropropene, chloroallyl alcohol and 49 organophosphate or chlorinated hydrocarbon pesticides. Bull Environ Contam Toxicol 29:354-359.
- *Markovitz A, Crosby WH. 1984. Chemical carcinogenesis. A soil fumigant, 1,3-dichloropropene, as possible cause of hematologic malignancies. Arch Intern Med 144:1409-1411.
- *Mazurek MA, Simoneit BRT. 1986. Organic components in bulk and wet-only precipitation. CRC Crit Rev Environ Control 16:140.
- *Mizell M. 1988a. Telone C-17® soil fungicide and nematicide: Primary dermal irritation study in New Zealand white rabbits. Dow Chemical Company, Midland, Michigan.
- *Mizell M. 1988b. Telone C-17® soil fungicide and nematicide: Dermal sensitization potential in the Hartley albino guinea pig. Dow Chemical Company, Midland, Michigan.
- *Mizell M, Yano BL, Battjes JE. 1988a. Telone C-17® soil fungicide and nematicide: Acute oral toxicity study in Fischer 344 rats. Dow Chemical Company, Midland, MI.
- *Mizell M, Johnson K, Battjes J. 1988b. Telone C-17® soil fungicide and nematicide: Acute dermal toxicity study in New Zealand white rabbits. Dow Chemical Company, Midland, Michigan.
- *Merrill LG, Reed LW, Chinn KSK. 1985. Toxic chemicals in the soil environment. Vol. 2: Interactions of some toxic chemicals/chemical warfare agents and soils. Defense Technical Information Center Dugway Proving Ground, Utah. NTIS AD-A158 215.
- *Munnecke DE, Vangundy SD. 1979. Movement of fumigants in soil, dosage, responses, and differential effects. Ann Rev Phytopathol 17:405-429.
- *Nater JP, Gooskens VHJ. 1976. Occupational dermatosis due to a soil fumigant. Contact Dermatitis 2:227-229.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1988. National Air Toxics Information Clearinghouse. NATICH Data Base Report on State, Local and EPA Air Toxics Activities. Office of Air Quality Planning and Standards. Environmental Protection Agency. Research Triangle Park, NC.

8. REFERENCES

- *Neudecker T, Henschler D. 1986. Mutagenicity of chloroolefins in the Salmonella/mammalian microsomes test. III. Metabolic activation of the allylic chloropropenes allyl chloride, 1,3-dichloropropene, 2,3-dichloro-1-propene, 1,2,3-trichloropropene, 1,1,2,3-tetrachloro-2-propene and hexachloropropene by S9 mix via two different metabolic pathways. *Mutat Res* 170:1-9.
- *Neudecker T, Stefani A, Henschler D. 1977. In vitro mutagenicity of the soil nematicide 1,3-dichloropropene. *Experientia* 33:1084-1085.
- *NIOSH. 1989. Department of National Industrial Occupational Safety and Health, National Occupational Exposure Survey (NOES). Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.
- *NTP. 1985. Toxicology and carcinogenesis studies of Telone II® (technical grade 1,3-dichloropropene [Cas No. 542-75-61 containing 1.0% epichlorohydrin as a stabilizer) in F344/N rats and B6C3F1 mice (gavage studies). National Toxicology Program Technical Report Series 269:1-159.
- *NTP. 1989. Fifth annual report on carcinogens summary. NTP 89-239. U.S. Department of Health and Human Services. Prepared for the National Institute of Environmental Health Sciences, Research Triangle Park, NC by Technical Resources, Inc., Rockville, MD. 114-115, 139-141.
- *OHM/TADS. 1989. Oil and Hazardous Materials Technical Assistance Data System. December 12, 1989
- *OSHA. 1989. Air Contaminants. Final Rule. U.S. Department of Labor, Occupational Safety and Health Administration. *Federal Register* 54:2933.
- *Osterloh J, Letz G, Pond S, et al. 1983. An assessment of the potential testicular toxicity of 10 pesticides using the mouse-sperm morphology assay. *Mutat Res* 116:407-415.
- *Osterloh JD, Cohen B-S, Popendorf W, et al. 1984. Urinary excretion of the N-acetyl cysteine conjugate of cis-1,3-dichloropropene by exposed individuals. *Arch Environ Health* 39:271-275.
- *Osterloh JD, Wang R, Schneider F, et al. 1989a. Biological monitoring of dichloropropene: Air concentrations, urinary metabolite, and renal enzyme excretion. *Arch Environ Health* 44:207-213.
- *Osterloh JD, Wang R, O'Connell L, et al. 1989b. Pilot study for biological monitoring of 1,3-dichloropropene. In: American Chemical Society Symposium Series 382, 218-230.
- *Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. *Int J Environ Anal Chem* 31:41-53.

8. REFERENCES

- *Parker C, Coate W, Voelker R. 1982. Subchronic inhalation toxicity of 1,3-dichloropropene/1,2-dichloropropane (DD®) in mice and rats. *J Toxicol Environ Health* 9:899-910.
- *Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mothers milk. *Bull Environ Contam Toxicol* 28:322-328.
- *Rawlings GD, Samfield M. 1979. Toxicity of secondary effluents from textile plants. U.S. Environmental Protection Agency, Washington, DC. EPA 600/7-78-168.
- *Roberts TR, Stoydin G. 1976. The degradation of (Z)- and (E)-1,3-dichloropropenes and 1,2-dichloropropane in soil. *Pestic Science* 7:325-335.
- *Rogers SE, Peterson DL, Lauer WC. 1987. Organic contaminants removal for potable reuse. *J Water Pollut Control Fed* 59:722-732.
- *Sahel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leach contamination. *Waste Management Res* 2:119-130.
- *SANSS . 1989. Structure and Nomenclature Search System.
- Sasaki YFX, Imanishi H, Matsumoto K, et al. 1988. 1,3-Dichloropropene: In vitro cytogenetics test. IET 88-0038. Prepared by Dow Chemical Japan Limited and Shell Kagaku K.K., by the Institute of Environmental Toxicology, Tokyo, Japan. [Unpublished study to be peer reviewed].
- *Sax NI, Lewis RJ. 1987. *Hawley's condensed chemical dictionary*. 11th ed. New York, NY: Van Nostrand Reinhold Co.
- *Schenker M, McCurdy S. 1986. Pesticides, viruses and sunlight in the etiology of cancer among agricultural workers. In: Becker CE, Coye MJ, Ed. *Cancer prevention: Strategies in the workplace*. Washington, DC: Hemisphere Publishing Corporation, 29-37.
- *Schiffmann D, Eder E, Neudecker T, et al. 1983. Induction of unscheduled DNA synthesis in HeLa cells by allylic compounds. *Cancer Lett* 20:263-269.
- *Shah JJ, Heyerdahl EK. 1989. National ambient volatile organic compound data base update. Nero and Associates. EPA 600/3-88/010(a).
- *Snider EH, Manning FS. 1982. A survey of pollutant emission levels in waste waters and residuals from the petroleum refining industry. *Environ Int* 7:237-258.
- *SRI. 1989. 1989 Directory of chemical producers. Menlo Park, CA: Stanford Research Institute, International.

8. REFERENCES

- *State of Kentucky. 1986. New or modified sources emitting toxic air pollutants. 401 KAR 63:022.
- *Sterrett RJ, Ransom ME, Barnhill GD. 1986. Site assessment and on-site treatment of a pesticide spill in the vadose zone. In: Proceedings of the Conference on Hazardous Material Spills, Preparedness, Prevention, Control, and Cleanup of Releases, Association of American Railroads, United States Coast Guard.
- *Stolzenberg SJ, Hine CH. 1980. Mutagenicity of 2- and 3-carbon halogenated compounds in the Salmonella/mammalian-microsome test. Environ Mutagen 2:59-66.
- *STORET. 1989. Database. December 19, 1989.
- *Stott W, Kastl P. 1986. Inhalation pharmacokinetics of technical grade 1,3-dichloropropene in rats. Toxicol Appl Pharmacol 85:332-341.
- *Stott W, Young J, Calhoun L, et al. 1988. Subchronic toxicity of inhaled technical grade 1,3-dichloropropene in rats and mice. Fundam Appl Toxicol 11:207-220.
- *Streeter C, Lomax L. 1988. Telone C-17® soil fungicide and nematocide: A one-hour acute vapor inhalation study in Fischer 344 rats. Dow Chemical Company, Midland, Michigan.
- *Streeter C, Battjes J, Lomax L. 1987. Telone II® soil fumigant: An acute vapor inhalation study in Fischer 344 rats. Dow Chemical Company, Midland, Michigan.
- *Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, v, 300-301.
- *Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio and water solubility. Research Review 85:17-28.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981a. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Control Fed 53:1503-1518.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981b. Biodegradability studies for predicting the environmental fate of organic priority pollutants. In: Test protocols for environmental fate and movement of toxicants. Symposium: 94th Annual Meeting of the Association of Official Analytical Chemists, Washington, DC, 267-328.

8. REFERENCES

- *Talcott R, King J. 1984. Mutagenic impurities in 1,3-dichloropropene preparations. *J Natl Cancer Inst* 72:1113-1116.
- *Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, Ed. (Chapter 15). New York, NY: McGraw Hill Book Co.
- *Thomas IJ and McKenry MV. 1974. Part I: Movement and fate as affected by various conditions in several soils. *Hilgardia* 42:393-421.
- *Til H, Spanjers T, Feron V, et al. 1973. Sub-chronic (go-day) toxicity study with Telonee in albino rats (final report). Central Institute for Nutrition and Food Research: The Netherlands, for Dow Chemical Company, Norfolk, England.
- *Torkelson TR, Oyen F. 1977. The toxicity of 1,3-dichloropropene as determined by repeated exposure of laboratory animals. *Am Ind Hyg Assoc J* 38:217-223.
- *Tu CM. 1988. Effects of selected pesticides on activities of invertase, amylase and microbial respiration in sandy soil. *Chemosphere* 17:159-163.
- *Tuazon EC, Atkinson R, Winer AM, et al. 1984. A study of the atmospheric reactions of 1,3-dichloropropene and other selected organochlorine compounds. *Arch Environ Contam Toxicol* 13:691-700.
- *USITC. 1989. Synthetic organic chemicals, United States production and sales, 1988. USITC Publication #2219. Washington, DC: United States International Trade Commission, 3-2 and 3-13.
- *Valencia R, Mason J, Woodruff R, et al. 1985. Chemical mutagenesis testing in *Drosophila*. III. Results of 48 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 7:325-348.
- *Van der Pas LJT, Leistra M. 1987. Movement and transformation of 1,3-dichloropropene in the soil of flower-bulb fields. *Arch Environ Contam Toxicol* 16:417-422.
- *Van Duuren B, Goldschmidt B, Loewengart G, et al. 1979. Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *J Natl Cancer Inst* 63:1433.
- *Van Joost T, de Jong G. 1988. Sensitization to DD soil fumigant during manufacture. *Contact Dermatitis* 18(5):307-308.
- *Verschuieren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 507-508.

8. REFERENCES

- *View Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA.
- *Vithayathil AJ, McClure C, Myers JW. 1983. Salmonella/microsome multiple indicator mutagenicity test. *Mutat Res* 121:33-37.
- *van der Hude W, Scheutwinkel M, Gramlich U, et al. 1987. Genotoxicity of three-carbon compounds evaluated in the SCE test in vitro. *Environ Mutagen* 9:401-410.
- *van der Hude W, Behm C, Guertler R, et al. 1988. Evaluation of the SOS chromatest. *Mutat Res* 203:81-94.
- *Waechter J, Kastl P. 1988. 1,3-Dichloropropene: Pharmacokinetics and metabolism in Fischer 344 rats following repeated oral administration. Dow Chemical Company, Midland, Michigan.
- *Wang GM. 1984. Decision making. *Reg Toxicol Pharmacol* 4:316-371.
- *Watson W, Brooks T, Huckle K, et al. 1987. Microbial mutagenicity studies with (Z)-1,3-dichloropropene. *Chem Biol Interact* 61(1):17-30.
- *Weast RC, Astle MJ, Beyer WH. 1988. CRC Handbook of chemistry and physics. 69th ed. Boca Raton, FL: CRC Press, Inc.
- *Windholz M, Budavari S, Blumetti RF, et al. 1983. The Merck index. Rahway, NJ: Merck and Co.
- *Yang R. 1986. 1,3-Dichloropropene. *Residue Rev* 97:19-35.
- *Yakel H, Kociba R. 1977. Acute inhalation toxicity of M-3993 (Telone II®) in rats. Dow Chemical Company, Midland, Michigan.